

**ARCH CAPE SANITARY DISTRICT**

**RESOLUTION 24-0504 SD SDC UPDATE**

**A RESOLUTION REVISING SYSTEM DEVELOPMENT CHARGES (SDC) / EQUIVALENT DWELLING UNIT (EDU) FEES FOR THE ARCH CAPE SANITARY DISTRICT**

**Whereas**, the Arch Cape Sanitary District (the “District”) adopted Ordinance 98-1 SD establishing a System Development Charge methodology and rates; and

**Whereas**, Section 4B of the ordinance provides for adoption of SDC rates by resolution; and

**Whereas**, it is felt prudent to update those charges to more properly reflect changes through investment in District infrastructure and current cost indices; and

**Whereas**, it is determined that one SDC is equal to one EDU; and

**Whereas**, the District allows for the annual adjustment of fees in accordance with the Engineering News-Record Construction Cost Index (ENR CCI); and

**Whereas**, the ENR CCI used in Resolution 23-03 SD was 13,230 and the February 2024 ENR CCI to be applied for the purposes of this Resolution is 13,515 (Index Ratio=13,515/13,230=1.02);

**NOW, THEREFORE**, be it resolved the ARCH CAPE SANITARY DISTRICT System Development and Connection Charge herein established become effective July 1st, 2024.

<u>¾ inch meter</u>		<u>1 inch meter</u>	
Improvement Fee	\$ 111	Improvement Fee:	\$ 277
Reimbursement Fee	\$ 9,833	Reimbursement Fee:	\$ 24,581
Administrative Fee	\$ <u>102</u>	Administration Fee:	\$ <u>249</u>
Total SDC/EDU Charge	\$ 10,046	Total SDC/EDU Charge:	\$ 25,107
Connection Charge	\$ 200		

The above resolution statements were approved and declared adopted on this 16<sup>th</sup> day of May 2024.

  
\_\_\_\_\_  
Attest: Teri Fladstol, Secretary

  
\_\_\_\_\_  
Casey Short, President